

F.No. 26/4/2011-Admn.

Government of India

Ministry of Mines

\*\*\*

Shastri Bhawan, New Delhi

Date: 28<sup>th</sup> December, 2011

**Subject: Contract for servicing/ repair/ maintenance of staff cars of the Ministry of Mines– inviting quotations.**

Sir,

I am directed to say that it has been decided by the Competent Authority to invite tenders for the Annual Contract for servicing, overhauling and repairs of Staff Cars of Ministry of Mines. Sealed quotations are invited from the reputed firms engaged in the maintenance/ repair of cars. The firms fulfilling the following conditions may send their bids super-scribed as “Quotation for the Annual contract for servicing, overhauling & repairs of staff cars of Ministry of Mines”. The quotations should be dropped in the DAK Box kept at Reception of Gate No. 2, Shastri Bhawan, New Delhi.

2. The following information may be supplied:-

- a) Name of the Firm.....
- b) Business address of the Firm.....
- c) Telephone No. or Mobile No. if any.....
- d) Annual turnover of the firm.....
- e) PAN/TIN (VAT) No. ....
- f) Details of past experience of providing the maintenance/repairs services
- g) Performance certificates from at least five Government Ministries/Depts.

- h) Income tax clearance certificate.
  - i) Registration/License No. of the workshop
  - j) The earnest money of Rs.30,000/-(Rs. thirty thousand only) through a Demand Draft (No..... & Date.....)
3. The quotation should indicate the rate against each item, as per Annexure –I
4. The contract would normally be for a period of one year.
5. The firm should be in existence for more than five years in the trade with the maintenance business (service business turn over) of not less than Rs. 10 lakh per annum during the last 3 years.
6. The following additional terms & conditions would also have to be followed by the tender/successful bidder.
- (1) The earnest money Rs.30,000/-(Rs. thirty thousand only) through a crossed Demand Draft drawn in favour of “PAO (Mines) Ministry of Mines, New Delhi” should accompany the quotation. If the bid is received without the EMD, it would not be considered and would be rejected summarily.
  - (2) The said earnest money will not bear any interest and will be refunded only after the finalization of the contract awarding process.

- (3) The workshop of the tenderer should be within a radius of 8 Kms. of Shastri Bhawan.
- (4) Schedule of labour charges will remain unchanged through out the contract period of one year.
- (5) Spare parts to be provided should be of original and genuine quality and rates should be as per the approved rate lists of different companies manufacturing the vehicles. The old/replaced parts shall be the property of the Ministry along with inventories of the parts replaced at the time of submission of the bill.
- (6) The contractor should ensure that the vehicle sent for repair jobs are repaired satisfactorily. If same type of problem arises within a month, the contractor has to re-repair the whicle for which no labour charges will be paid.
- (7) All major works carried out should be adequately guaranteed for six months and defects during this period will have to be carried out free of charge.
- (8) The contractor should ensure that no petrol is taken out of the vehicle under repair job. Amount of the petrol is to be recorded in the job card in the presence of the driver while the vehicle is taken to workshop for repair.
- (9) The contractor has to ensure that no idle running is carried out.
- (10) The contractor should be available on telephone for rendering service on all working days and also on holidays.
- (11) In the event of any dispute, the decision of the Ministry will be final.
- (12) The Ministry reserves the right to terminate the contract any time without assigning any reason thereof by giving 7 days notice in writing. The contractor shall not be entitled for any compensation by reason of such termination.
- (13) The terms and conditions mentioned in this tender document are subject to modification/alternation/deletion at the discretion of the Ministry before the final agreement is executed.
- (14) The Ministry reserves the right to cancel any or all tenders without assigning any reason thereof.
- (15) The firms are requested to give their rates of the items indicated in the **Annexure-I** clearly on their letterheads in typed materials.

- (16) In case, the contracting firm is not able to accept the contract after it is awarded or if it is not able to do the work after accepting the contract, it will be liable to pay the damage to the department including the extra rate, which this Ministry will have to pay to any other contractor for getting such work done.
- (17) The above act of backing out would automatically debar the contractor from any further dealing with this Ministry.
- (18) No work will be carried out in the cars/scooters unless specifically authorized by the Department.
- (19) Relevant taxes, as applicable, will be deducted from each and every bill submitted.
- (20) All the bills submitted by the successful tenderer would accompany with the work vouchers duly signed by concerned staff car driver.
- (21) The tenderer whose quotations are finally accepted, shall have to deposit a sum of Rs. 1,00,000/-(Rs. one lakh only) in the form of guarantee from a nationalized Bank or fixed deposit of the amount as Performance Security in the event of the firm violating any of the terms and conditions of the contractor or not providing satisfactory service.

7. The quotations may be deposited by 18<sup>th</sup> January, 2012 at 1.00PM. quotations should be dropped in the DAK Box kept at Reception of Gate No. 2, Shastri Bhawan, Rajendra Prasad Road, New Delhi-110011. The quotations received in time would be opened at 3.00PM on 18<sup>th</sup> January, 2012 by Tender Opening Committee in the presence of those of the tenderers, who wish to be present during the tender opening time.

8. It may be noted that Tender document not accompanied with the required EMD will be rejected summarily.

Yours faithfully,

(C.D. Madhur) Section  
Officer (Admn.) Tele. 23381631

To:-

Dir. (NIC), Ministry of Mines with a request to upload it on the website of this Ministry for a period of 21 days.

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
1	Cylinder head – remove & Refit, new gasket replacing including tappet adjusting, Machine Jobs extra						
2	Removing cylinder head replacing push guides, grinding in valves, bleeding complete system, machine Job extra						
3	Replacing diesel filter and bleeding fuel system						
4	Removing F.I. Pump, nozzle and sending for re-calibration						
5	Check valve timings and adjusting tappets						
6	Check valve timings and adjusting tappets HM+						
7	Replace fuel lift pump and bleeding fuel system						
8	Overhauling fuel lift pump and bleeding fuel system						
9	Overhauling clutch after removing and refitting engine & bleeding complete fuel system						
10	Removing fuel tank for cleaning and refitting, bleeding of complete fuel system						
11	Attending to main bearing oil leakage by crank & block rectification						
12	Attending to main bearing oil leakage by cap rectification						
13	Overhauling rear suspension (Trekker only)						
14	Tuning up engine including replacing fuel filters, torquing cylinder head Nuts & Bolt						
15	Overhauling Gear Box						
16	Attending to F.I. Pump oil leakage and bleeding complete fuel system						
17	Attending to F.I. Pump oil leakage and bleeding complete fuel system. HM +						
18	Removing and checking heater plugs						
19	Replacing engine stop cable						
20	Clutch overhauling ( when engine is out)						
21	Engine remove and refit						
22	Engine remove & refit with AC						
23	Clutch overhauling with AC fitted						
24	Removing F.I. Pump, adjusting or replacing drive shaft, resetting timing and bleeding complete system						
25	Removing F.I.P., re-setting timing and bleeding complete fuel system						
26	Removing and replacing cam shaft						
27	Removing and replacing cam shaft HM+						
28	Removing exhaust and inlet manifold for checking Push guides (Tappets) and refitting						
29	Repairing silencer leakage and change muffler						
30	Top overhauling engine and bleeding complete fuel system						
31	Attending to leakage of fuel return nozzle pipe (each)						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
32	Attending to side plate leakage						
33	F.I. Pump solenoid switch change						
34	Overhauling engine						
35	Self Starter overhauling						
36	Dynamo overhauling						
37	Alternator overhauling						
38	Crank Pulley change, Timming cover seal change						
39	Crank PULLEY change, Timming cover seal change HM+						
40	Crank PULLEY change, Timming cover seal change HM+with AC						
41	Engine setting for Pollution Control						
42	Injectors – Re calibration						
43	Conversion of Petrol to DSL with HM engine						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
		<b>SERVICING</b>					
1	Servicing & Lubrication						
2	Servicing and including RPM setting, clutch adjust, change of fuel filter, tightening of nuts & bolt and fan belt adjustment						
3	Dry Servicing & Lubrication						
4	Greasing						
5	Rubbing & polishing						
6	Rubbing only						
7	Polishing only						
8	Replacing oil filter & engine oil change						
<b>ENGINE</b>							
1	Engine assy removing & refitting						
2	Engine assy, removing and refitting with AC						
3	Compression test						
4	Cylinder head gasket remove and refit including tappet adjustment						
5	Replacing Cylinder head, valve grinding & top adjustment						
6	Decarbonising engine and tuning (machine job extra)						
7	Replacing piston rings or piston assly, checking connecting rod alignment and engine tuning (machine job extra)						
8	Petrol engine overhaul or replace cylinder block including engine remove and refit (machine job extra)						
9	Replacing cylinder block water jacket plugs (each) engine assy, removing extra						
10	Replacing cyl. Block water jacket Plug after removing timing belt						
11	Replacing fly wheel ring gear						
12	Replacing fly wheel ring gear with AC						
13	Remaking carburetor butterfly						
14	Adjusting tappets						
15	Grinding rocker arms						
16	Rocker shaft remove change part, and refit including tappet adjustment (machine job extra)						
17	Oil pressure relief valve remove cleaning, adjustment and refit						
18	Replacing half engine assy. And overhauling cylinder head (Recheck of half engine assy)						
19	Replacing the acceletor cable						
20	Replacing timing cover oil seal and packing						
21	Replacing timing cover oil seal and packing with AC						
22	Oil sump remove and refit (+ item No.1)						
23	Pre Chamber Change						
24	Replacing timing chain, gear and adjuster						
25	Replacing timing chain with AC						
26	Replace fan belt						



Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
		27	Replace fan belt with AC				
28	Engine tuning including adjustment of Tappets & distributor C.P. point, spark plug cleaning, fuel filter change and carburetor adjustment						
29	Replace engine back plate packing						
30	Replace tappets (push guides)						
31	Replace valve Rocket Arm including Tappet adjusting						
32	Fuel pump overhauling						
33	Fuel pump replacing						
34	Replacing choke/(Accelerator wire)						
35	Replacing fuel pump gasket						
36	Carburetor cleaning & adjustment						
37	Distributor cleaning & adjustment						
38	Replacing distributor H.T. cable						
39	Spark plug cleaning, replacing & adjusting gaps						
40	Replacing manifold gasket						
41	Replacing engine front plate gasket						
42	Replacing engine front plate gasket with AC						
43	Replacement cam shaft						
44	Attending to oil not reaching rocket shaft						
45	Con. Rod bearing remove, replace, adj. & refit without removing cr. Shaft						
46	Main bearing remove/replace adj. (machine job extra)						
47	Replace side cover Packing						
48	Checking fuel average with one liter petrol extra						
49	Replacing water Pump bearing						
50	Replacing crank shaft pulley						
51	Replacing crank shaft pulley with AC						
52	Oil pump removing checking or replacing						
53	Replace water pump assy or gasket						
54	Replace engine foundation each						
55	Removing and refitting radiator						
56	Cleaning radiator after removing top bottom tanks						
57	Replace radiator Hose pipe (each)						
58	Replace fan Blade						
59	Replace oil pressure pipe						
60	Replace oil pressure Benzo pipe						
61	Replacing Tappet cover packing						
62	Replacing fuel filter						
63	Replacing spark plugs						
64	Carburetor O/H, setting engine RPM with Tachometer & spark plug clean						
65	RPM setting with Tachometer						
66	Radiator cleaning only						
67	Replacing water Elbow						
68	Replacing Ignition coil						
69	Replacing front crank oil seal						
70	Replacing from plate gasket						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
		71	Replacing cam shaft oil seal				
72	Replacing pump oil seal						
73	A/C compressor remove & refit						
74	Oil filter leaking						
75	Fitting of coolant Bottle						
76	Rear main oil leakage modification						
<b>BREAKS</b>							
1	Adjust brake pedal						
2	Adjust Hand brake						
3	Overhauling master cylinder, bleeding & adjustment of brakes						
4	Replace hand brake cable						
5	Overhaul front wheel Cylinder & bleeding (each)						
6	Overhaul rear wheel cylinder & bleeding (each)						
7	Overhaul all four wheel Cylinders and bleeding & adjustment						
8	Replace front brake lining set/Pads/Calliper O/H (lathe job extra)						
9	Replace stop light switch						
10	Overhaul brake system (Lathe job for drum Turning extra)						
11	Replace rear brake lining set (Lathe job for drum turning extra)						
12	Replace Front and rear Brake lining (complete set)						
13	Replace brake hose and bleeding (one)						
14	Bleeding complete system and adjusting brakes						
15	Replace rear brake drums and adjust brakes						
16	Replace front brake drums and adjusting brakes						
17	Replace front brake pipe, bleeding and adjusting (Metal pipe)						
18	Replace rear brake pipe bleeding & adjusting						
19	Fitting power brakes, bleeding & adjusting brakes						
20	Replace brake Booster						
21	Wash, clean and adjust brakes						
22	Replace front wheel oil seal (each)						
23	Replace Brake oil & bleeding brakes						
24	Replace Brake oil & bleeding brakes						
25	Replace master – cylinder assy						
<b>CLUTCH</b>							
1	Adjust clutch free travel						
2	Replace clutch and brake pedal shaft bushes						
3	Clutch overhaul (Lathe job extra)						
4	Clutch O/H with Ac.						
5	Overhaul/Replace clutch plate assly/facing when engine assy is out (Lathe job extra)						
6	Replace clutch adjusting rod						
7	Replace clutch carbon & bearing						
8	Replace pressure plate adjusting fingers						
9	Replace clutch housing cross member						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
		10	Replace clutch housing shaft/bush (machine job extra)				
11	Replace clutch housing Shaft bush fitted with Ac.						
12	Change clutch cable						
<b>STEERING</b>							
1	Remove and refit steering assy						
2	Replace steering wheel						
3	Steering O/H (lathe job extra)						
4	Replace top and bottom felt/column bush						
5	Replace steering boot (each) and set Toe-in						
6	Replace tie rod end (each) & set (toe-in)						
7	Replace ball joint & set (toe in) old Model						
8	Replace ball Joint and set Toe-in (New Nova)						
9	Replace column boot						
10	Replace steering column bracket support assy						
11	Replace steering column outer						
12	Replace steering column tube						
13	Replace steering column Bearing						
14	Welding steering support bracket (on chasis)						
15	Adjust steering						
16	Welding Front shocker plate (each)						
17	Welding rear shocker floor plate under petrol tank (Petrol Tank Remove & Refit)						
18	Replace steering coupling						
19	Replace steering lock						
20	Replace Intermediate shaft						
21	Replace steering control rod						
22	Tyre Balancing (each) weight extra						
<b>POWER STEERING</b>							
23	Replace Hyd. Pump hoses						
24	Replace Hyd. Pump						
<b>SUSPENSION</b>							
1	Complete front suspension O/H (lathe job extra)						
2	Front suspension adjustment						
3	Replace Complete rubber bush kit (Front & rear) with Wheel alignment						
4	Replace rear spring assembly (one side)						
5	Replace tie bar bush/jumping rod bush (one side)						
6	Remove one Shockabsorber and Replace worn out Bush (each)						
7	Replace rear Suspension bushes						
8	Re-cambering both rear spring fitting extra leaf						
9	Remove and refit front wheel oil seal/bearing (one side)						
10	Remove and refit front wheel oil seal/bearing (both side)						
11	Replace torsion bar (one side)						
12	Replace rear road spring U bolt (each side)						
13	Resetting torsion bar Height (each)						
14	Replace rear road spring U bolt (each side)						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
		15	Checking and resetting Camber caster & toe – in				
16	Replace front suspension spring (each)						
17	Replace front stabiliser bar						
18	Replace stabiliser link (each)						
19	Adjusting toe-in						
20	Replace Upper Arm Ball joint (each)						
21	Replace Lower Arm Ball Joint						
22	Replace rear Upper Arm bushes						
23	Replace front suspension lower arm (one side)						
24	Replace Panthe Rod						
25	Replace Rear lower arm						
26	Replace upper arm						
27	Adjust front height with spacers						
28	Adjust Rear height with spacers						
<b>REAR AXLE</b>							
1	Remove and refit rear axle assembly						
2	Differential overhauling						
3	Replace pinion oil seal and torque pinion nut to specifications						
4	Replace rear axle shaft (one side)						
5	Replace differential gasket						
6	Replace rear axle shaft broken inside differential						
7	Replace rear axle bearing (one side)						
8	Replace rear axle oil seal (one side)						
9	Replace differential pins on Axle tube (each side) parts extra						
10	Replace rear brake drums						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
<b>PROPELLER SHAFT</b>							
1	Remove and refit propeller shaft						
2	Propeller shaft O/H						
3	Propeller shaft U.J. change each						
4	Replace propeller shaft splined yoke (Lathe job extra)						
5	Replace propeller shaft rubber coupling						
<b>EXHAUST SYSTEM</b>							
1	Remove & refit exhaust pipe front						
2	Attending to exhaust leakage from clamp to manifold						
3	Remove/refit new muffler & welding with pipe						
4	Remove/repair muffler assy & baffle plate (including welding)						
5	Replace tail pipe						
6	Replace silencer pipe bracket (each)						
7	Re-aligning exhaust pipe assy						
8	Replacing complete silencer assy. Muffler with tail pipe, front pipe						
9	Replacing rear silencer muffler						
10	Replacing both mufflers and U pipe						
<b>FUEL TANK</b>							
1	Replace fuel tank Gauge unit						
2	Replace petrol tank harboard cover						
3	Replace fuel tank hose						
4	Replace petrol flexible pipe (each)						
5	Replace petrol flexible pipe New model						
6	Removing and refitting petrol tank main line						
7	Replace fuel filter						
8	Replace rear seat hard board						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
<b>GEAR BOX</b>							
1	Gear box assy overhaul						
2	Replace front oil sear (including engine remove and refit)						
3	Replace rear oil seal						
4	Replace side cover packing and seal						
5	Replace gear box foundations both						
6	Replace Gear lever						
7	Replace gear linkage ball joint each						
8	Replace gear box Cross Member and Aligning						
9	Replace gear box speedometer drive gear/seal						
10	Adjusting gear and linkage						
11	Replacing gear box packing						
12	Attending to vibration						
13	Replace Gear Box centre cross member & Re-Aligning						
14	Conversion to floor shift gear						
15	Overhaul gear Linkages						
16	Replace gear plate						
17	Replace steady bush (5 <sup>th</sup> Mounting)						
18	Replace speedometer drive gear (inside gear box)						
19	Replace gear control rod or pivot braket						
20	Replace gear lever raxine boot						
<b>ELECTRICAL</b>							
1	Dynamo/Alternator O/H (lathe job extra)						
2	Remove and refit Dynamo/Alternator assy & adjusting fan belt						
3	Remove & refit new Dynamo/Alternator pulley						
4	Re-adjusting regulator (Cut-Out)						
5	Replace voltage regulator						
6	Testing and checking battery and re-charging						
7	Self starter overhaul (lathe job extra)						
8	Remove & refit Self starter						
9	Replace horn						
10	Head light focusing						
11	Dash board meters (each replacing cluster assy)						
12	Checking all lights (cluster remove & refit)						
13	Replace head light bulb (each)						
14	Replace side and tail light bulb (each)						
15	Replace dash board bulb (each)						
16	Replace stop light switch						
17	Replace flasher unit/horn relay (each)						
18	Horn ring assy overhaul (lathe job extra)						
19	Change complete wiring						
20	Change front wiring						
21	Change rear wiring						
22	Change speedometer						
23	Tune up horn (each)						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
24	Coolant system fitting						
25	Wipper spray system fitting (New)						
26	Replace speedometer cable						
27	Replace combination switch						
28	Replace H.L. beam						
29	Replace H.L. glass						
30	Replace tail light assy						
31	Replace Tail light Glass						
32	Change wiper blade one						
33	Door switch change						
34	Roof light assy change						
35	Fuse box change						
36	Horn pad change						
37	Horn relay change						
38	Solonoid switch change						
39	H.L. switch change						
40	H.L. GLX new fitting with cutout						
41	Replace wiper motor (DSL with AC)						
<b>BODY</b>							
1	Removing & Replacing Rear windscreen glass/Rubber						
2	Removing & replacing Front wind screen glass/Rubber						
3	Removing, repair, adjusting & replacing door lock (each door)						
4	Removing, repairing, adjusting door hand (each) outer						
5	Door hinge pins replacing/repair each door						
6	Making front door hinge pin each door						
7	Removing/replacing & repairing/door glass winding machine (each)						
8	Removing/replacing door glass (each)						
9	Removing/replacing & repairing ventilator window Quarter glass (each)						
10	Setting ventilator tensioner/spring						
11	Replace quarter ventilator glass rubber						
12	Replace ventilator glass (each)						
13	Replace door lock set						
14	Replace door channel set						
15	Replace door beeding set						
16	Replace door channel (one door)						
17	Replace door garnish beeding (one door)						
18	Replace door handle cup						
19	Removing roof lining and refitting						
20	Replace door rubber (one door)						
21	Replace bonnet hinge (each)						
22	Bonnet lock repairing, replacing & adjustment						
23	Dicky lock repairing						
24	Replacing dicky hinge (each)						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
25	Re-Chrome plating side place each (without any dent)						
26	Front/rear bumper adjusting (one side)						
27	Replacing Ventilator glass rear						
28	Re-chrome plating center piece ( without any dent)						
29	Re-chrome plating front/rear bumper (each without dent)						
30	Padding of front seat						
31	Padding of rear seat						
32	Removing/refitting of new rexine of front seat (material extra)						
33	Replacing front fender (each)						
34	Replace door assembly front						
35	Replace door assembly rear						
36	Removing and replacing front grill						
37	Replacing glove box (each)						
38	Replacing complete floor & welding (parts extra)						
39	Front grill modification						
40	Replacing running board & welding (parts extra)						
41	Remove and refitting dash board						
42	Replacing dicky weather strip						
43	Remove & refitting new rexine rear seat						
44	Remove & refit new rexine of each door						
45	Remove & refit of new hard board (each door)						
46	Remove & refit door hand rest						
47	Replace Front bumper assembly						
48	Replace rear bumper assembly						
49	Replace bonnet assembly and lock setting						
50	Replace dicky assembly and lock setting						
51	Replace rear fender						
52	Replace bumper side rubber						
53	Replace rear bumper centre Rbr.						
54	Replace grill outer shell						
55	Replace bumper over rider (each)						
56	Re-chrome plating grill without any dent						
57	Replace front cross member						
58	Replace both longitudinal members						



Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
		<b>PAINTING</b>					
1	Complete painting (same colour dents extra)						
2	Complete painting (sherry New-Red)						
3	Complete painting different colour (without any dent)						
4	Repainting each section wise door, dicky, mudguard etc.						
5	Repainting each section wise door, dicky, mudguard (New Sherry)						
6	Complete painting (Flash/outer body)without any dent						
7	Complete painting after scrapping old paint (without any dents)						
8	Repainting luggage carrier						
9	Repainting wheel rim (each)						
10	Repainting sun shade						
11	Repainting roof						
12	Repainting Bonnet						
13	Complete painting in accrylac colour (without any dent)						
14	Paint Bumper Fiber/DLX						
<b>AIR CONDITIONING SYSTEM</b>							
1	General servicing of AC						
2	Gas filling						
3	Removal of AC from the car						
4	Fitting of AC in the car						
<b>MISCELLANEOUS</b>							
1	Engine not starting						
2	Engine hard starting						
3	Rough and unstable idling after engine warm up						
4	Poor accelearation						
5	Engine Tunning (including tapped adjustments, spark plugs check/replacement, injectors cleaning)						
6	Engine jerks during acceleration and de-acceleration						
7	Erratic idling						
8	Excessive exhaust emission						
9	Replacement of fuel filter assy						
10	Replacement of fuel pump assy						
11	Replacement of fuel hose (each)						
12	Replacement of throttle body assy						
13	Replacement of ignition coil						
14	Replacement of ignition amplifier						
15	Replacement of MPFI reley (each)						
16	Replacement of Air cleaner hose						
17	Replacement of Air cleaner element						
18	Replacement of ECU						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
		19	Replacement of M.A.P. Sensor				
20	Replacement of T.P. Sensor						
21	Replacement of Speed Sensor						
22	Replacement of Temp. sensor						
23	Replacement of Lamda sensor						
24	Replacement of A.C. Connection						
25	Replacement of A.C Fuse						
26	Replacement of Fuel pump fuse						
27	Replacement of thermostate valve						
28	Cleaning injector rail						
29	Injector cleaning (after removing fuel rail) each						
30	Replacement of Inlet Manifold (Including Plenum chamber & thermo housing						
31	O/H of Disc brake						
32	Disc brake pad cleanning						
33	Silencer Repair						
34	Thermostat Valve						
35	Radiator Coolant change						
36	Thermostat valve chg						
37	MPFI System Check						
38	One set curtains with fitting						
39	One set loose seat cover						
40	Complete guard chrome polish						
41	One Ash Tray with handle						
42	Bead Seat rest						
43	Clutch labour						
44	Clutch pressure plate assy.						
45	Clutch lathework						
46	Clutch						
47	Clutch assy.						
48	steering						
49	AC Blower service ducting						
50	AC gas & oil refilling						
51	AC grill fan assembly						
52	AC Arch blower with arch velvet with full fitting						
53	Self Repair Labour						
54	Self solonide switch assly.						
55	Mudguard Mirror						
56	Fan belt						
57	Door Chanel						
58	Door Lock						
59	Engine washing						
60	Door Handle/Gutka chg.						
61	New altinator assly. With fitting						
62	Service						
63	5 ltr. Engine oil						
64	Oil Filter						
65	Air Filter and fuel filter						
66	Fog light set						
67	1 ltr gear box oil						
68	Plug set						
69	Engine tuning & injector clean						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
		70	Inside dry-clean				
71	Digital Watch						
72	Steel Guard front, rear and side guard set						
73	Rubbing Polish						
74	Injector Service chips programming						
75	Petrol Filter						
76	Air Filter						
77	Plug set						
78	Petrol pipe set						
79	Compressor bracket assly.						
80	AC Blower service ducting &wiring check						
81	AC Gas & oil refilling						
82	AC service assly.						
83	AC Relay						
84	Service						
85	5 Ltr. GTX						
86	Oil Filter						
87	2 Ltr. Gear oil						
88	1 1/2 Ltr. Differential oil						
89	Shock Absorber RR						
90	Roof Light Fancy Type						
91	Capless Bulb						
92	Roof Lamp Switch						
93	Bulb Flasher						
94	Carb Packing Issuzu						
95	Ignation Plug						
96	Thinner N.C.						
97	Oil Filter Cartridge						
98	Engine Tunning						
99	Seat,roof dry cleaning						
100	All light check up						
101	Tube light fitting						
102	Rubbing & Polishing						
103	Rear Shocker change						
104	Imported Perfume						
105	Silence Welding Repair						
106	Engine Computerized Tuning						
107	MPFI Speed Set						
108	CNG Tuning						
109	Rear Seat Padding						
110	Fuel Pump Assy.						
111	Pump Fitting						
112	Fuel Gage Assy.						
113	Gage Fitting						
114	Full size towel						
115	Break disk pad set						
116	Disk lathe work						
117	Disk pad fitting						
118	Fuel gage assly.						
119	Fuel gage fitting						
120	Silencer Centre pipe						
121	Silencer bracket						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
		122	Silencer pipe fitting				
123	Full size wheel cover						
124	Murti						
125	Steering Suspension						
126	Lathework Steering suspension						
127	Wheel alignment balancing						
128	Welding patching						
129	Bush pressing						
130	Front shocker set						
131	Block Bush						
132	Timed and set						
133	Upper goda set						
134	Lower goda set						
135	Goda pin bush set						
136	Steering boot						
137	Ball joint set						
138	Steering bearing set						
139	Column bolt						
140	Spark Plug						
141	Light Adjustor						
142	Labour CNG Tuning & Reprs.						
143	Kamani opening fitting tension						
144	Kamani bush pad						
145	Wheel alignment & balancing						
146	3 Soft cross						
147	Cross fitting						
148	Soft cupling fitting						
149	Cuppling fitting						
150	Bumper leg guard rubber set						
151	Self Repair Labour						
152	Self armchair with liver						
153	Carbon Set						
154	Self Bush fitting						
155	Major Works page59-61						
156	AC Gas, AC Oil						
157	AC Service						
158	Valve						
159	Thermostat switch						
160	<b>Exide Battery No.600</b>						
161	<b>Labour CNG O/H</b>						
162	Engine Tuning						
163	Engine oil, oil filter, gear diff. etc.						
164	Steering suspension labour						
165	Steering wheel assly.						
166	Kamani tension with bush pad						
167	Clutch labour						
168	Clutch new set with fitting						
169	Complete new model light						
170	Complete Body denting & painting						
171	Imported mud guard mirror set						
172	All door gola channel garnishwith pin						
173	Inside dry-cleaning						

Sl. No.	Name of Work	Cost of Parts			Labour Charges		
		Amb.	Accent	SX4	Amb.	Accent	SX4
		174	AC fitting with AC Gas old				
175	AC Servicing with thermostat switch grill fan, relay						
176	Bucket Seat set						
177	Consol box velvet						
178	Seat cover full set with padding						
179	Seat foundation new making						
180	Excilator cable						
181	Guardleg bracket						
182	Wheel Cap Set						
183	Engine fan & fan clutch assly.						
184	Timing seal packaging and bead						
185	Wheel alignment						
186	Bulb						
187	Cabin Fan						
188	Steering Cover						
189	All Door lamination						
190	Grill Fan Assy. With relay						
191	Sapat cross						
192	Sapat cuppling						
193	Cross fitting cuppling bearing fitting						
194	All door hinch pin						
195	All door hinch pin fitting						
196	Gola channel garnish with door rubber with fitting						
197	Power window repair with relay						
198	Family lock kit						
199	Antina Set Dx						
200	Steering Mutha						
201	One set half cover						
202	One set curtains with fitting						
203	One head rest with cover						
204	Complete in side seat upholstery full super Dx velvet						
205	Woolen carpet						
206	Rear guard new						
207	New dicki with full carpet floor						
208	Excilator & clutch wire change						
209	All light check up						
210	Mudguard flap set						
211	Gear liver boot						